

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

# **SAFETY DATA SHEET**

Protector F1 Concentrate 265ml

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier	1	.1	Ρ	ro	du	ıct	id	er	ntif	ier	
------------------------	---	----	---	----	----	-----	----	----	------	-----	--

Product name Product code : Protector F1 Concentrate 265ml : 62454

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Water-boiler treatment.	
Professional applications.	

#### **1.3 Details of the supplier of the safety data sheet**

e-mail address of person	: Europeanregulatory@macdermid.com
responsible for this SDS	

Alpha Assembly Solutions Germany GmbH. Elisabeth-Selbert-Straße 4, 40764 Langenfeld, Germany.	Fernox UK Ltd. 2 Genesis Business Park, Albert Drive,Sheerwater, Woking, Surrey, GU21 5RW. United Kingdom.	MacDermid Alpha Hungary Kft. 2330 Dunaharaszti, Jedlik Ányos utca 2., Hungary.
Tel: +49 21738490313	Tel: +44 (0) 330 100 7750	Tel: +36 24 506 110

#### 1.4 Emergency telephone number

#### National advisory body/Poison Centre

Telephone number	: UK NPIS 0344 892 0111 (Healthcare professionals only)
Supplier	
Telephone number	: Carechem24: (+44) 1865 407333; (+44) 1235 239 670 (across Europe)
Hours of operation	: 24/7

## **SECTION 2: Hazards identification**

2.1 Classification of the su	ibstance or mixture
Product definition	: Mixture
Classification according Aquatic Chronic 3, H412	to UK CLP/GHS
The product is classified as	hazardous according to UK CLP Regulation SI 2019/720 as amended.
Ingredients of unknown toxicity	: 9.2 (dermal), 9.2 (inhalation) percent of the mixture consists of component(s) of unknown acute toxicity
Ingredients of unknown ecotoxicity	: Contains 9.2% of components with unknown hazards to the aquatic environment
See Section 16 for the full t	text of the H statements declared above.
See Section 11 for more de	etailed information on health effects and symptoms.
2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: H412 - Harmful to aquatic life with long lasting effects.

Hazard statements	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	: P273 - Avoid release to the environment.
Response	: · · · · · · · · · · · · · · · · · · ·
Storage	:
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Special packaging requirem	ients
2.3 Other hazards	

Product meets the criteria for PBT or vPvB according to Regulation (EC) No.	:	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
1907/2006, Annex XIII Other hazards which do not result in classification	:	None known.

## **SECTION 3: Composition/information on ingredients**

Product/ingredient name	Identifiers	%	Classification	Туре
Molybdate (MoO42-), sodium, hydrate (1:2:2), (T-4)-	REACH #: 01-2119489495-21 EC: 231-551-7 CAS: 10102-40-6	≤5	Not classified.	[2]
benzotriazole	REACH #: 01-2119979079-20 EC: 202-394-1 CAS: 95-14-7	≤3	Acute Tox. 4, H302 Eye Irrit. 2, H319 Aquatic Chronic 2, H411	[1]
propane-1,2-diol	REACH #: 01-2119456809-23 EC: 200-338-0 CAS: 57-55-6	≤3	Not classified.	[2]

SECTION 3: Composition/information or	ingredients		
pyridine-2-thiol 1-oxide, sodium salt EC: 223-296-5 CAS: 3811-73-2 Index: 223-296-5	<0.01	Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=10) See Section 16 for	[1]
		the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

#### 4.2 Most important symptoms and effects, both acute and delayed

# Over-exposure signs/symptomsEye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	<ul> <li>In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</li> </ul>
Specific treatments	: No specific treatment.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

#### 5.2 Special hazards arising from the substance or mixture

•	
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident in there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

mode.

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## **SECTION 6: Accidental release measures**

6.4 Reference to other	: See Section 1 for emergency contact information.
sections	See Section 8 for information on appropriate personal protective equipment.
	See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations	
Industrial sector specific	
solutions	

- : No specific measures identified.
- : No specific measures identified.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
Molybdate (MoO42-), sodium, hydrate (1:2:2), (T-4)-	EH40/2005 WELs (United Kingdom (UK), 1/2020). [molybdenum soluble compounds as Mo] STEL: 10 mg/m <sup>3</sup> , (as Mo) 15 minutes. TWA: 5 mg/m <sup>3</sup> , (as Mo) 8 hours.
propane-1,2-diol	<b>EH40/2005 WELs (United Kingdom (UK), 1/2020).</b> TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Particulate TWA: 474 mg/m <sup>3</sup> 8 hours. Form: total vapour and particulates TWA: 150 ppm 8 hours. Form: total vapour and particulates
procedures atmosphere or of the ventilation protective equip standards. Ref	ontains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness n or other control measures and/or the necessity to use respiratory oment. Reference should be made to appropriate monitoring erence to national guidance documents for methods for the f hazardous substances will also be required.

#### **EU DNELs/DMELs**

Date of previous issue

S	ECTION 8:	Exposure co	ontrols/p	personal p	rotection	
			_	_		

	-	· _ ·			
Product/ingredient name	Туре	Exposure	Value	Population	Effects
Molybdate (MoO42-), sodium,	DNEL	Long term	7.15 mg/m <sup>3</sup>	General	Systemic
hydrate (1:2:2), (T-4)-		Inhalation		population	
	DNEL	Long term Oral	7.3 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Long term	23.97 mg/	Workers	Systemic
		Inhalation	m³	- ·	
benzotriazole	DNEL	Short term Oral	0.12 mg/	General	Systemic
			kg bw/day	population	O un tra maile
	DNEL	Long term Oral	0.12 mg/	General	Systemic
	DNEL	Long term Dermal	kg bw/day 0.12 mg/	population General	Systemic
	DINLL	Long term Derma	kg bw/day	population	Systemic
	DNEL	Long term Dermal	0.24 mg/	Workers	Systemic
			kg bw/day		- )
	DNEL	Long term	2.1 mg/m <sup>3</sup>	General	Systemic
		Inhalation	0	population	
	DNEL	Long term	4.2 mg/m <sup>3</sup>	Workers	Systemic
		Inhalation	_		-
propane-1,2-diol	DNEL	Long term	10 mg/m³	General	Local
		Inhalation		population	
	DNEL	Long term	10 mg/m³	Workers	Local
		Inhalation	50 1 3	0	0
	DNEL	Long term	50 mg/m³	General	Systemic
		Inhalation	160 mg/m3	population	Sustamia
	DNEL	Long term Inhalation	168 mg/m³	Workers	Systemic
		IIIIalalion			

#### EU PNECs

No PNECs available

8.2 Exposure controls	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: None assigned.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. < 1 hour (breakthrough time): disposable vinyl
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: None assigned.</li> </ul>

## **SECTION 8: Exposure controls/personal protection**

Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and shou approved by a specialist before handling this product.	
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meet appropriate standard or certification. Respirators must be used according to respiratory protection program to ensure proper fitting, training, and other imp aspects of use. Recommended: None assigned.	а
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legisla In some cases, fume scrubbers, filters or engineering modifications to the pro- equipment will be necessary to reduce emissions to acceptable levels.	tion.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

<u>Appearance</u>		
Physical state	:	Liquid.
Colour	:	Yellow. [Light]
Odour	:	Aromatic. [Slight]
Odour threshold	:	There are no data available on the mixture itself.
Melting point/freezing point	:	There are no data available on the mixture itself.
Initial boiling point and boiling range	:	Not available.
Flammability (solid, gas)	:	There are no data available on the mixture itself.
Upper/lower flammability or explosive limits	:	There are no data available on the mixture itself.
Flash point	:	Open cup: Not applicable.
Auto-ignition temperature		Not applicable.
Decomposition temperature	4	There are no data available on the mixture itself.
рН	4	8.3
Viscosity	4	There are no data available on the mixture itself.
Solubility(ies)	1	
Media		Result
cold water		Easily soluble
Solubility in water	:	There are no data available on the mixture itself.
Solubility in water Partition coefficient: n-octanol/ water		
Partition coefficient: n-octanol/	:	
Partition coefficient: n-octanol/ water	:	Not applicable.
Partition coefficient: n-octanol/ water Vapour pressure	: : :	Not applicable. <3.2 kPa (<23.8 mm Hg)
Partition coefficient: n-octanol/ water Vapour pressure Evaporation rate	: : : : :	Not applicable. <3.2 kPa (<23.8 mm Hg) There are no data available on the mixture itself.
Partition coefficient: n-octanol/ water Vapour pressure Evaporation rate Relative density	: : : : :	Not applicable. <3.2 kPa (<23.8 mm Hg) There are no data available on the mixture itself. There are no data available on the mixture itself.
Partition coefficient: n-octanol/ water Vapour pressure Evaporation rate Relative density Density		Not applicable. <3.2 kPa (<23.8 mm Hg) There are no data available on the mixture itself. There are no data available on the mixture itself. 1.135 g/cm³
Partition coefficient: n-octanol/ water Vapour pressure Evaporation rate Relative density Density Vapour density		Not applicable. <3.2 kPa (<23.8 mm Hg) There are no data available on the mixture itself. There are no data available on the mixture itself. 1.135 g/cm <sup>3</sup> There are no data available on the mixture itself.
Partition coefficient: n-octanol/ water Vapour pressure Evaporation rate Relative density Density Vapour density Explosive properties		Not applicable. <3.2 kPa (<23.8 mm Hg) There are no data available on the mixture itself. There are no data available on the mixture itself. 1.135 g/cm <sup>3</sup> There are no data available on the mixture itself. There are no data available on the mixture itself.
Partition coefficient: n-octanol/ water Vapour pressure Evaporation rate Relative density Density Vapour density Explosive properties Oxidising properties		Not applicable. <3.2 kPa (<23.8 mm Hg) There are no data available on the mixture itself. There are no data available on the mixture itself. 1.135 g/cm <sup>3</sup> There are no data available on the mixture itself. There are no data available on the mixture itself.
Partition coefficient: n-octanol/ water Vapour pressure Evaporation rate Relative density Density Vapour density Explosive properties Oxidising properties Particle characteristics		Not applicable. <3.2 kPa (<23.8 mm Hg) There are no data available on the mixture itself. There are no data available on the mixture itself. 1.135 g/cm <sup>3</sup> There are no data available on the mixture itself. There are no data available on the mixture itself. There are no data available on the mixture itself.

<b>SECTION 10: Stabilit</b>	y and reactivity
10.1 Reactivity	: Not available.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
benzotriazole propane-1,2-diol	LD50 Oral LD50 Dermal LD50 Oral	Rat Rabbit Rat	560 mg/kg 20800 mg/kg 20 g/kg	-

## Conclusion/Summary : Not tested

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Protector F1 500ml Bulk	20000	N/A	N/A	N/A	N/A
benzotriazole	560	N/A	N/A	N/A	N/A
propane-1,2-diol	20000	20800	N/A	N/A	N/A
pyridine-2-thiol 1-oxide, sodium salt	500	300	N/A	N/A	1.5

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
benzotriazole	Eyes - Severe irritant	Rabbit	-	100 mg	-
propane-1,2-diol	Eyes - Mild irritant	Rabbit	-	100 mg	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	-			mg	
	Skin - Mild irritant	Human	-	168 hours	-
				500 mg	
	Skin - Mild irritant	Woman	-	96 hours 30	-
				%	
	Skin - Moderate irritant	Child	-	96 hours 30	-
				% C	
	Skin - Moderate irritant	Human	-	72 hours 104	-
				mg l	

Conclusion/Summary	
Skin	: Not tested
Eyes	: Not tested
Respiratory	: Not tested
Sensitisation	
<b>Conclusion/Summary</b>	
Skin	: Not tested

## **SECTION 11: Toxicological information**

Respiratory	: Not tested
Mutagenicity	
<b>Conclusion/Summary</b>	: Not tested
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: Not tested
Reproductive toxicity	
<b>Conclusion/Summary</b>	: Not tested
<b>Teratogenicity</b>	
Conclusion/Summary	: Not tested
Specific target organ tox	<u>icity (single exposure)</u>
Not available.	

#### Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
pyridine-2-thiol 1-oxide, sodium salt	Category 1	-	-

#### **Aspiration hazard**

Not available.

Information on likely routes of exposure	: Not tested	
Potential acute health effects		
Eye contact	: No known significant effects or critical hazards.	
Inhalation	No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Symptoms related to the phy	ical, chemical and toxicological characteristics	
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	: No specific data.	
Delayed and immediate effect	s as well as chronic effects from short and long-term exposure	
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Long term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Potential chronic health effe Not available.	t <u>s</u>	
Conclusion/Summary	: Not available.	
General	No known significant effects or critical hazards.	
Carcinogenicity	No known significant effects or critical hazards.	
Mutagenicity	No known significant effects or critical hazards.	
Reproductive toxicity	No known significant effects or critical hazards.	
Version : 5 Date of issue/Date	frevision : 30 May 2024 Date of previous issue : No previous	<u> </u>

Version	:5	Date of issue/Date of revision	: 30 May 2024	Date of previous issue	

#### 10/13

## **SECTION 11: Toxicological information**

#### **Other information**

: No known significant effects or critical hazards.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
benzotriazole	Acute EC50 15.8 mg/l	Daphnia - Water flea - Daphnia galeata	48 hours
	Acute LC50 102 mg/l Fresh water	Crustaceans - Water flea - Ceriodaphnia dubia	48 hours
	Acute LC50 65 mg/l Fresh water	Fish - Fathead minnow - Pimephales promelas	96 hours
	Chronic EC10 1.18 mg/l	Algae - Green algae - Desmodesmus subspicatus	72 hours
	Chronic EC10 0.97 mg/l	Daphnia - Water flea - Daphnia galeata	21 days
propane-1,2-diol	Acute EC50 >110 ppm Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	Acute LC50 1020000 µg/l Fresh water	Crustaceans - Water flea - Ceriodaphnia dubia	48 hours
	Acute LC50 710000 µg/l Fresh water	Fish - Fathead minnow - Pimephales promelas	96 hours
Conclusion/Summary	: Ecological testing has not been cond	ucted on this product.	•

Conclusion/Summary

#### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
benzotriazole	1.44	-	Low
propane-1,2-diol	-1.07		Low

12.4 Mobility in soil	
Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6 Other adverse effects : No known significant effects or critical hazards.

#### SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

**Product** 

SECTION	13:	Dispo	osal c	onsidera	tions
			<b>JUUI U</b>	0	

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

**Additional information** 

14.6 Special precautions for user		<b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
14.7 Transport in bulk	:	Not applicable - not transported in bulk

according to IMO instruments

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>UK (GB)/REACH</u>

Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

Date of previous issue

Annex XVII - Restrictions	: Not applicable
on the manufacture,	
placing on the market	
and use of certain	
dangerous substances,	
mixtures and articles	
EU regulations	
Industrial emissions	: Not listed
(integrated pollution	
prevention and control) -	
Air	
Industrial emissions	: Not listed
(integrated pollution	
prevention and control) -	
Water	
	: This product contains substances for which Chemical Safety Assessments are still
15.2 Chemical safety assessment	
45565500600	required.

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and
	Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019
	No. 720 and amendments
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = GB CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification

Classification	Justification
Aquatic Chronic 3, H412	Calculation method

#### Full text of abbreviated H statements

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Full text of classifications

Acute Tox. 3	ACUTE TOXICITY - Category 3
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2

SECTION	16.	Other	information

Date of printing	: 12 February 2025
Date of issue/ Date of revision	: 30 May 2024
Date of previous issue	: No previous validation
Version	: 5
Notice to reader	

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Fernox SDS CLP Europe